## IN THE CLAIMS

A listing of all claims and their current status in accordance with 37 C.F.R. § 1.121(c) is provided below.

(Currently amended) A method of creating an image which includes the steps of:
obtaining a substantially linear representation of the brightness of an image, the
method comprising, for each of a set of pixels (x, y) in a two dimensional
array, calculating an estimate of the true image intensity (i<sub>xy</sub>) as a weighted
average of n samples of the apparent image intensity (v<sub>n,xy</sub>) as

$$\hat{i}_{xy} = \frac{\displaystyle\sum_{n} \left(w_{n,xy} \left(\frac{v_{n,xy} - C}{KT_n}\right)\right)}{\displaystyle\sum_{n} w_{n,xy}} = \frac{1}{K} \frac{\displaystyle\sum_{n} \left(w_{n,xy} \left(\frac{v_{n,xy} - C}{T_n}\right)\right)}{\displaystyle\sum_{n} w_{n,xy}}$$

where  $v_{n,xy}$  is the apparent intensity measured, <u>n is greater than or equal to 2</u>,  $T_n$  is the exposure time, K is the gain of the system, C is an offset and  $w_{n,xy}$  is a weighting factor which is defined to maximise the signal to noise ratio and discard insignificant, that is saturated or near zero, values;

thereafter saving each of the values  $i_{xy}$  together with other data representing the image; and

outputting the image to a display or to a printing device.

2. (Original) A method according to claim 1, wherein a linear relationship is established between images recorded with different exposure times by the use of a perpendicular regression technique whereby each image is transformed to match the scale and offset of the first in the series and whereby the weighted average is calculated as:

$$\hat{i}_{xy} = \frac{\sum_{n} w_{n,xy} \left( \frac{v_{n,xy} - \sum_{n} b_n}{\prod_{n} a_n} \right)}{\sum_{n} w_{n,xy}}$$

where  $a_n$  and  $b_n$  are the gradient a and offset b measured between image n and image n 1  $(a_1=1; b_1=0)$  when

$$w_{n,xy} = \begin{cases} \prod_{n} a_n & v_{\min} < v_{n,xy} < v_{\max} \\ 0 & \text{when} & v_{n,xy} \ge v_{\max} \\ 0 & v_{n,xy} \le v_{\min} \end{cases}$$

3. (Original) A method according to claim 1 or claim 2, wherein the image is a coloured image and the offset is colour dependent.